Black Sea Journal of Agriculture

doi: 10.47115/bsagriculture.1066907



Open Access Journal e-ISSN: 2618 – 6578

Research Article Volume 5 - Issue 2: 137-142 / April 2022

A STUDY ON THE DETERMINATION OF MECHANIC HARVEST PROPERTIES OF SOME SWEET CHERRY VARIETIES

Ersen OKUR^{1*}, Selçuk ARIN¹

¹Tekirdag Namık Kemal University, Agricultural Faculty, Department of Biosystem Engineering, 59030, Tekirdağ, Turkey

Abstract: Cherry is a hand-harvested fruit due to various difficulties and constraints. This condition results in the use of labor at a high rate. Turkey's annual cherry production is at the level of 724 thousand tons. Various tools or machines that have been developed for cherry harvest have the potential to contribute greatly to the production in this area. The share of the labor required for harvesting in cherry production in the total labor requirement is around 70%. In this research, it was aimed to collect the necessary data to mechanize the cherry harvest by determining the physico-mechanical properties of cherry fruit. As a result of the present study, several physical, biological, and mechanical properties of four sweet cherry variety (0900 Ziraat, Starks Gold, Merton Late, Lambert) were determined and compared in terms of fruit mass, net fruit weight, tensile force, weight, thickness, length, width, sphericity, surface area, volume of fruit, and also weight, width, length, sphericity of seed, tensile force of stalk, stalk length, and weight. Tensile force of fruit, tensile force of stalk and weight of the fruit of 0900 Ziraat variety were found 2.579 N, 7.041 N, 9.592 g, respectively. After the evaluation of the obtained data, it was determined that all four cherry varieties examined were suitable for mechanical harvesting. However, the most suitable variety for mechanical harvesting was found as '0900 Ziraat'.

Keywords: Sweet cherry, Fruit harvesting, Mechanization, Tensile force

*Corresponding author: Tekirdag Namık Kemal University, Agricultural Faculty, Department of Biosystem Engineering, 59030, Tekirdağ, Turkey					
E mail: eokur@nku.edu.tr (E. OKUR)					
Ersen OKUR 🛛 🔟	https://orcid.org/0000-0003-1933-7642	Received: February 02, 2022			
Selçuk ARIN 🛛 🛅	https://orcid.org/0000-0002-6053-5950	Accepted: March 11, 2022			
		Published: April 01, 2022			
Cite as: Okur E, Arın S. 2022. A study on the determination of mechanic harvest properties of some sweet cherry varieties. BSJ Agri, 5(2): 137-142.					

1. Introduction

Cherry (*Purunus avium* L.) belongs to Rosaceae family, Prunoideae subfamily, Prunus genus in botany. The origin of the cherry is known as the region between the Southern Caucasus, the Caspian Sea, and Northeast Anatolia. It spread east and west from these gene centers and covered a large area on Earth. Accordingly, our country is one of the origin centers of cherries (Başkaya, 2011). There are around 1500 cherry variety in the world, and this number is increasing day by day with ongoing breeding studies. Besides, the same varieties were named with different names, and different varieties were named with the same names in terms of regions (Çakaryıldırım, 2003).

Cherry cultivated areas and the amount of cherry produced accordingly increase every year in Turkey. Our production, which was 230000 tons from 29000 ha in 2000, increased from 67046 ha to 417905 tonnes in 2010 and from 82729 ha to 724944 tonnes in 2020 (Anonymous, 2022).

According to 2020 World cherry production data, Turkey ranks first in terms of cherry production and cultivated area (Table 1; Anonymous, 2022). Of the 664224 tons of cherries produced in Turkey in 2019, 80508 tons were exported. This amount constitutes 12.1% of the total production. 69% of the exported cherries were sold to EU member countries (Anonymous, 2020; Anonymous, 2021). '0900 Ziraat' variety is the cherry variety with the highest production volume in Turkey and is an important export product (Erogul, 2018).

Table 1. The highest cherry	produced	countries	in	the
world (Anonymous, 2022)				

Rankings	Country	Production	Cultivated
		(metric ton)	Area (ha)
1	Turkey	724944	82729
2	USA	294900	34400
3	Chile	255471	39645
4	Uzbekistan	185068	12718
5	Iran	164080	24033

Harvesting of cherry fruit is still mostly done by hand both in the world and in Turkey. Therefore, harvesting is one of the areas where the labor requirement per unit area is high in fruit growing and hand-harvesting constitutes 30-60% of the total production cost (Moser, 1989; Gezer, 2001). When the situation of mechanical fruit harvesting in Turkey is examined, it is seen that the process with the highest labor requirement per unit area is harvesting. When we look at the share of the labor required for harvest in the total labor requirement, sour cherry, and cherry production ranks first with 70% (Gezer, 2001). Like cherries, sour cherry harvest costs account for 30-60% of the total production cost (Yılmaz and Gökduman, 2020). Kocabiyik et al. (2009) determined the human energy cost, work success, and some physico-mechanical properties of fruits in apple, peach, apricot, cherry, and plum harvest. As a result, they determined the highest human energy input for cherry harvest. Pırlak and Güleryüz (2000) reported that the fruit harvest is 100-250 times higher than the grain harvest in terms of labor and approximately 40 times higher in terms of production costs.

Erdoğan (1988) evaluated the human labor needs in horticultural agriculture in terms of harvest mechanization. According to the results of the study, human labor needs in strawberry and cherry harvesting were found to be higher than other fruits. Pırlak and Güleryüz (2000) examined the mechanical harvesting of fruit species and concluded that the human labor required for manual cherry harvesting is high. This process constitutes 40-80% of the working time in production.

Knowing the biological properties of agricultural products are necessary and important in the design, construction, operation, control, determination of yields, analysis and evaluation of the quality of the products. Knowing these properties is beneficial not only for engineers but also for food scientists, processors, plantbreeding designers and specialists (Mohsenin, 1986). For these reasons, studies have been carried out by many researchers to determine the physico-mechanical and biological properties of different fruits. Research has been carried out for many fruits such as apricot (Altıkat and Temiz, 2019), apple (Polat et al., 2020), plum (Alnıak Sezer and Cetin, 2021), black berry (Calışır and Aydın, 2004), sour cherry and cherry (Özgüven et al., 2001; Vursavuş et al., 2006; Kocabıyık et al., 2009; Pérez-Sánchez et al., 2010; Göksel and Aksoy, 2014; İkinci and Bolat, 2015; Taşova and Güzel, 2017; Krumov and Christov, 2018; Sarısu et al., 2019). However, it should not be forgotten that there are many variety of each fruit and that even the same variety vary according to the climate, soil, and cultivation method of the region in which they are grown (Altikat and Temiz, 2019). Due to that, it is important to conduct studies on the samples of fruit variety in different regions, to have a large amount of data on the characteristics of that fruit variety, and to create a more reliable infrastructure for studies on mechanical harvesting. In this study, it was aimed to determine the physico-mechanical properties of four cherry variety grown in Tekirdağ, to collect the data necessary for the mechanization of cherry harvest and to determine the suitability of these variety for mechanical harvesting.

2. Material and Methods

2.1. Cherry Varieties

The cherry fruits used for the research were obtained from the trees in the orchard of Tekirdağ Viticulture Research Institute (40.970860 N, 27.472279 E). Four different cherry varieties (0900 Ziraat, Starks Gold, Merton Late, and Lambert) were used in the study (Figure 1).



Figure 1. Photos of garden and cherry varieties used in the experiments.

For each cherry variety, measurements and calculations were made on a total of 103 samples from randomly selected trees, in order to determine the properties of cherries for mechanical harvesting and to determine their suitability for mechanical harvesting. These are weight, thickness, width, height, sphericity, surface area, volume, density, net fruit weight, tensile force of the fruit from the stalk, seed weight, width, thickness, height, sphericity, surface area, and tensile force of the fruit stalks from the branch, weight, length, thickness, and number of the stalks. In addition, pH measurements and color analyzes were performed for the examined varieties (Vursavuş et al., 2006; Kocabıyık et al., 2009; Pérez-Sánchez et al., 2010; İkinci and Bolat, 2015; Sarısu et al., 2019).

The thickness, width, height of the fruits, and the length and thickness of the fruit stalks were measured with a digital caliper (Mitutoyo) with an accuracy of 0.01 mm, and the weights of the fruits and stalks were measured with a precision balance (AND - GF 600) with an accuracy of 0.001 g. The tensile force of the fruit (from the stalk) and the tensile force of the fruit stalk (from the branch) were made with a 1 gr precision hand dynamometer (Lutron FG 5020), pH measurements were analyzed by pH meters (Hanna Instruments pH 211), and color measurements were obtained from a colorimeter (HunterLab D25LT - Reston, VA). Sphericity, net fruit weight, surface area, and density values were calculated from the obtained measurement results. Additionally, net fruit weight was calculated by subtracting the weight of the fruit stalk and seed from the total fruit weight.

2.2. Statistical Analysis

Analysis of variance (ANOVA) was applied to the data obtained from the study by using the statistical package program (Statistica, 1999), and the differences between the group means were determined with the Duncan Multiple Comparison Test (Genç and Soysal, 2018).

2.3. The Tensile Force of the Fruit from the Stalk (F_{T-f}) and the Stalk from the Branch (F_{T-s})

To determine the tensile force of the fruit (from the stalk), an equipment was made on the tip of the hand dynamometer to pull the fruit from the stalk. With the help of this equipment, the samples were pulled in the direction of the fruit stalk axis and the tensile forces (F_{T-f})

were determined as N (Newton). After the fruits were plucked from their stalks, the remaining stalks were pulled from the branch with the help of an equipment and the tensile force (F_{T-s}) was measured. Fruits and stalks which tensile forces were measured were numbered for further measurements.

2.4. Fruit Sizes and Sphericity

The size measurements of the fruits were made with a digital caliper and the sphericity values were calculated by placing the values in Equation 1 given below (Moser, 1989; Vursavuş et al., 2006; Yılmaz and Gökduman, 2020):

$$\phi = (xyz)^{1/3}/z \tag{1}$$

where;

3. Results and Discussion

3.1. pH Values

The juices of the fruits were squeezed, and pH measurements were made in three replications for each cherry variety, and the averages are given in Table 2. Numerically the highest pH was measured in Lambert, and the lowest pH was measured in 0900 Ziraat variety. The results are in line with the work done by Vursavus et al. (2006), Göksel and Aksoy (2014), Sarısu et al. (2019), Eroğul and Özmen (2020).

3.2. Color Measurements

L* (lightness), a* (redness), b* (yellowness) values were measured with HunterLab colorimeter. The measurements were made from randomly selected 3 samples for each variety and their mean values are summarized in Table 3.

According to the results of the study, the variety with the highest brightness (L*) and yellowness (b*) values was 'Starks Gold', and the variety with the highest redness (a*) value was '0900 Ziraat'.

Tuble 2. pri analysis results of enerry varieties
--

Varieties	рН
0900 Ziraat	3.86
Starks Gold	3.95
Merton Late	3.97
Lambert	4.24

Fable 3. Color analysis	results of cherry varieties
-------------------------	-----------------------------

Varieties	L*	a*	b*
0900 Ziraat	18.25	9.25	2.66
Starks Gold	60.32	0.55	28.19
Merton Late	15.86	6.93	1.28
Lambert	13.83	1.56	0.23

Findings for the variety 'Ziraat 0900' are in agreement with Vursavuş et al. (2006). There are differences between the values measured in the study and the values obtained by Göksel and Aksoy (2014), Sarısu et al. (2019), Eroğul and Özmen (2020). It is thought that these differences may be caused by cultivation and environmental conditions.

The data obtained by measuring the parameters of fruit, seeds, and stalks of four different cherry varieties were statistically analyzed and the results were summarized in Table 4, 5, and 6.

3.3. Fruit Parameters Measurements

Measured and calculated fruit parameters of investigated cherry variety are shown in Table 4.

When the tensile forces of the fruits pulling from the stalk were examined, the highest value (2.579 N) was measured in 0900 Ziraat variety, the lowest value (1.530 N) was measured in Lambert variety and the difference was statistically significant (P < 0.05). When the weights of the fruits were examined, all variety were found to be statistically different from each other, the highest value was found in 0900 Ziraat with 9.592 g, and the lowest value was determined in Lambert variety with 3.684 g.

Cherry varieties				
0900 Ziraat	Starks Gold	Merton Late	Lambert	
2.579 ± 0.117^{a}	2.187 ± 0.872^{b}	2.246 ± 0.664^{b}	1.530±0.803 ^c	
9.592±1.095ª	6.000±0.948 ^c	7.130 ± 1.592^{b}	3.684 ± 0.732^{d}	
26.351±1.384ª	22.526±1.474°	23.424±1.885b	15.917±1.133d	
23.213±1.201ª	19.858±1.236 ^b	20.143±1.719b	17.557±1.496°	
24.957 ± 1.121^{a}	21.267 ± 1.096^{b}	20.850±1.550 ^c	16.467 ± 1.208^{d}	
0.939±0.022b	0.939 ± 0.022^{b}	0.912±0.025c	1.042 ± 0.032^{a}	
19.228±1.712 ^a	14.049 ± 1.514^{b}	14.402±2.188 ^b	8.672±1.260 ^c	
9.850 ± 1.544^{a}	5.728±1.066 ^c	6.966±1.621 ^b	3.528 ± 0.760^{d}	
0.984±0.097°	1.061 ± 0.122^{a}	1.027 ± 0.059^{b}	1.063 ± 0.181^{a}	
9.223±1.090ª	5.623±0.927°	6.794±1.567 ^b	3.403 ± 0.717^{d}	
	0900 Ziraat 2.579±0.117 ^a 9.592±1.095 ^a 26.351±1.384 ^a 23.213±1.201 ^a 24.957±1.121 ^a 0.939±0.022 ^b 19.228±1.712 ^a 9.850±1.544 ^a 0.984±0.097 ^c 9.223±1.090 ^a	Cherry0900 ZiraatStarks Gold2.579±0.117a2.187±0.872b9.592±1.095a6.000±0.948c26.351±1.384a22.526±1.474c23.213±1.201a19.858±1.236b24.957±1.121a21.267±1.096b0.939±0.022b0.939±0.022b19.228±1.712a14.049±1.514b9.850±1.544a5.728±1.066c0.984±0.097c1.061±0.122a9.223±1.090a5.623±0.927c	Cherry varieties0900 ZiraatStarks GoldMerton Late2.579±0.117a2.187±0.872b2.246±0.664b9.592±1.095a6.000±0.948c7.130±1.592b26.351±1.384a22.526±1.474c23.424±1.885b23.213±1.201a19.858±1.236b20.143±1.719b24.957±1.121a21.267±1.096b20.850±1.550c0.939±0.022b0.939±0.022b0.912±0.025c19.228±1.712a14.049±1.514b14.402±2.188b9.850±1.544a5.728±1.066c6.966±1.621b0.984±0.097c1.061±0.122a1.027±0.059b9.223±1.090a5.623±0.927c6.794±1.567b	

^{a-d}Mean values with different superscripts in the same row indicate a significant difference (P<0.05), n=103.

Black Sea Journal of Agriculture

Table 5. Results of investigated seed parameters

Sood parameters	Cherry varieties				
seeu parameters	Ziraat 0900	Starks Gold	Merton Late	Lambert	
Weight (g)	0.369±0.041ª	0.377 ± 0.042^{a}	0.336 ± 0.046^{b}	0.284±0.044c	
Width (mm)	11.126 ± 0.421^{a}	10.332±0.440 ^c	10.581±0.429 ^b	9.473±0.506d	
Thickness (mm)	7.153±0.323b	6.988±0.291 ^c	7.360 ± 0.373^{a}	6.823±0.390d	
Length (mm)	9.240±0.342ª	8.901 ± 0.385^{b}	8.976 ± 0.372^{b}	8.300±0.353c	
Sphericity (%)	0.810±0.023c	0.834 ± 0.022^{b}	0.837 ± 0.029 b	0.856 ± 0.024^{a}	
Surface area (cm ²)	2.547±0.155ª	2.330±0.159°	2.462±0.147 ^b	2.067 ± 0.188^{d}	

 $^{a-d}$ Mean values with different superscripts in the same row indicate a significant difference (P<0.05), n=103.

Table 6. Results of investigated stalk parameter	rs
--	----

Stallt nonomotors	Cherry varieties				
Stark parameters –	Ziraat 0900	Starks Gold	Merton Late	Lambert	
Tensile force of stalk (from branch) (N)	7.041±2.793 ^{ab}	6.355±2.391 ^b	7.669 ± 2.577^{a}	7.522±2.567ª	
Number of stalks in cluster (unit)	1.320±0.546 ^c	2.350±0.667ª	1.728±0.795 ^b	1.728±0.795 ^b	
Weight (g)	0.317 ± 0.024^{b}	0.106±0.016 ^c	0.176 ± 0.060^{a}	0.176 ± 0.063^{a}	
Length (mm)	55.680±5.549ª	41.630±4.381b	54.534±5.917 ^a	54.534±6.105ª	
Thickness (mm)	1.113 ± 0.143^{b}	1.196±0.086°	1.156±0.163ª	1.164 ± 0.157^{a}	

^{a-d}Mean values with different superscripts in the same row indicate a significant difference (P<0.05), n= 103.

The sphericity values of the fruits were calculated, the highest value (104%) was calculated for Lambert variety, the lowest value (91%) was calculated for Merton Late variety and the difference was statistically significant (P<0.05). The surface area values of the fruits were calculated, the highest value (19.228 cm²) was found for 0900 Ziraat variety, the lowest value (8.672 cm²) was found for Lambert variety and the difference was statistically significant (P<0.05). When the net fruit weights were examined, all variety were found to be statistically different from each other, the highest value was found in 0900 Ziraat with 9.223 g, and the lowest value was determined in Lambert variety with 3.403 g. The results regarding fruit sizes are consistent with the findings obtained in previous studies (Vursavuş et al., 2006; Delice et al., 2012; Sarısu et al., 2019; Eroğul and Özmen, 2020).

3.4. Fruit Seed Parameters Measurements

When fruit seed weights were examined, the highest values were measured in 0900 Ziraat and Starks Gold, the lowest value was obtained from in Lambert variety and the differences were found to be statistically significant. The measurement results were given in Table 5. In addition, the sphericity values of the fruit seeds were calculated, the highest value (85%) was in Lambert variety, the lowest value (81%) was in 0900 Ziraat variety and the differences compared to other variety was found to be statistically significant (P<0.05). The results are in line with the values measured by İkinci and Bolat (2015).

3.5. Fruit Stalk Parameters

The tensile force of the cherry stalks from the branch was measured, and there was no statistical difference between the 0900 Ziraat variety and the other examined varieties. However, the highest values were found in Merton Late and Lambert varieties, and the lowest values were found in Starks Gold varieties. Measured and calculated values are summarized in Table 6.

The number of cherry stalks in cluster was evaluated, and there was no statistical difference between Merton Late and Lambert variety (P>0.05). The highest value was measured in Starks Gold with 2.350 units, and the lowest value was measured in 0900 Ziraat variety with 1.320 units (P<0.05). The lengths of the cherry stalks were determined, and there was no statistical difference between Merton Late, 0900 Ziraat, and Lambert varieties. Starks Gold variety was found to have the shortest stalk length statistically. Similarly, as a result of stalk thickness measurements, the lowest value was found in Starks Gold variety. Merton Late and Lambert were measured as the varieties with the highest stalk thicknesses. The obtained results are similar to other studies on the subject (İkinci and Bolat, 2015; Sarısu et al., 2019).

For 0900 Ziraat variety, the tensile force of the fruit while pulling from the branch was found to be 2.579 N, and the tensile force of the fruit stalk from the branch was found to be 7.041 N. Therefore, if the cherry is picked by pulling from the fruit, the fruit will be separated from the stalk first, and the stalk will remain on the branch. When it is desired to collect the cherries without a stalk, they can be picked by applying a lower force, but since the upper part of the fruit whose stalk is broken off will be opened, the endurance time will be reduced. In addition, when stalkless picking is preferred, pulling down from the top of the fruit rather than squeezing from the sides will cause less damage.

If cherries are to be picked with a stalk, they should be picked by pulling from the stalk, not from the fruit. Since the thickness of the stalks is an average of 1.157 mm, a design should be made to hold the fruit tightly so that the stalk does not slip while pulling. In addition, the stalk length, which was found to be 51.59 mm on average, is

sufficient for the handle to be held by an apparatus. Since the difference between the tensile force values of the fruits from the stalks is statistically significant, it will be beneficial for the tensile force to be adjustable rather than fixed in the designs to be made. The difference between the weight, width, thickness, height, and volume values of the cherries was also found to be statistically significant. For this reason, the system should be designed to be able to change and adjust according to different properties of fruit varieties when necessary. According to the results of the research conducted by Krumov and Christov (2018), cherry fruits should be transported with appropriate methods and the variety are suitable for mechanized harvesting. In the study conducted by Peterson and Wolford (2001) on mechanization, they stated that the cherries harvested by the machine they developed were damaged only 2-6% more than the traditionally harvested cherries, and the ratio of marketable cherries were found as 85-92%. Eroğul and Özmen (2020) reported that 0900 Ziraat variety is the most suitable variety after storage, shelf-life properties and stands out in terms of some quality

Table 7. Ratio of fruit mass to tensile force (M/F_T) results

characteristics.

3.6. Ratio of Fruit Mass to Tensile Force (M/F_T)

Moser (1989) stated that if the ratio of fruit mass to tensile force (M/F_T) is equal or greater than 1, the fruit is machine harvestable. The relationship between the tensile force of the product and the mass of the product is very important in the design of the harvesting units of the harvesters, especially in terms of the selection of the harvesting method. Table 7 summarizes the fruit mass to tensile force ratio results of the research.

The results indicates that all variety were suitable for machine harvesting ($M/F_T>1$) in the case of harvesting the fruit without a stalk, and 0900 Ziraat variety was suitable for harvesting with a stalk. When the results were examined, it was determined that 0900 Ziraat was the most suitable variety for machine harvesting in the case of picking cherries with or without stalks. The results found are in agreement with similar studies (Kocabıyık et al., 2009). Between the examined varieties, least suitable variety for machine harvesting is Lambert variety (Figure 2).

	Symbol	Unit	Cherry varieties			
			0900 Ziraat	Starks Gold	Merton Late	Lambert
Tensile force of fruit (from stalk)	F _{T-f}	Ν	2.579	2.187	2.246	1.530
Tensile force of stalk (from branch)	F_{T-s}	Ν	7.041	6.355	7.669	7.522
Weight	М	g	9.592	6.000	7.13	3.684
According to tensile force of fruit (from stalk)	M / F _{T-f}		3.719	2.744	3.175	2.408
According to tensile force of stalk (from branch)	M / F _{T-s}		1.362	0.944	0.930	0.490



Figure 2. M/F_{T-f} values for the cherry varieties.

4. Conclusion

In the research, the physico-mechanical properties of four cherry varieties grown in Tekirdag were determined and the data were measured to mechanize the cherry harvest. As a result of the evaluation and analysis of the obtained data, it was determined that all four cherry varieties were suitable for mechanical harvesting. However, it was determined that the most suitable variety for mechanical harvesting was '0900 Ziraat'. However, it would be beneficial to conduct similar studies in different regions for different cherry varieties, and thus to collect more results and high diversity of data on mechanization.

Author Contributions

E.O.: initiated the research idea, developed, organized, analyzed and interpreted the data and wrote the manuscript. S.A.: supervised the research, suggested the research methods, structured the paper and edited the manuscript.

Conflict of Interest

The author declared that there is no conflict of interest.

Acknowledgments

This article has been produced from PhD thesis of Ersen Okur.

References

- Alnıak Sezer S, Çetin M. 2021. Determination of some physical and mechanical properties of plum fruit in different harvest periods. Anadolu J Agr Sci, 36: 73-79.
- Altıkat S, Temiz Ş. 2019. Physico-mechanical and some chemical properties of apricot varieties in Iğdır province. YYU J Agr Sci, 29 (3): 373-381.
- Anonymous. 2020. Kiraz değerlendirme raporu, 2020. URL: https://www.tarimorman.gov.tr/BUGEM/Belgeler/MİLLİ%2 0TARIM/Ürün%20Masaları%20Ürün%20Değerlendirme%2 0Raporları%20yayımlandı/Kiraz%20Değerlendirme%20Rap oru.pdf (access date: April 10, 2021).
- Anonymous. 2021. List of Exporters for the Selected Product in

 2019.
 Trade
 Map.
 URL:

 https://www.trademap.org/Country_SelProduct.aspx?nvpm

 =1%7c%7c%7c%7c%7c080929%7c%7c%7c6%7c1%7c1%

 7c2%7c1%7c1%7c2%7c1%7c1%7c1
 (access date: April 10, 2021).
- Anonymous. 2022. Dünya kiraz üretim değerleri. URL: http://www.fao.org/faostat/en/?#data/QC (access date: January 30, 2022).
- Başkaya Z. 2011. The geographical foundations of cherry farming in Turkey. Doğu Coğrafya Derg, 16(26): 45-71.
- Çakaryıldırım N. 2003. Kiraz. TEAE Bakış, 3(12): 1-4.
- Çalışır S, Aydın C. 2004. Some physico-mechanic properties of cherry laurel (Prunus lauracerasus L.) fruits. J Food Eng, 65(1): 145-150.
- Delice A, Ekinci N, Özdüven FF, Gür E. 2012. Determinations of factors that effect on quality properties of 0900 Ziraat cherry variety in Lapseki. J Tekirdag Agri Fac, 9(3): 27-34.
- Erdoğan D. 1988. Bahçe bitkileri tarımında insan işgücü ihtiyaçlarının hasat mekanizasyonu açısından değerlendirilmesi. Ankara Üniv Ziraat Fak Yıllığı, 38, Ankara, Turkey, pp:
- Eroğul D, Özmen B. 2020. Determination of storage and shelf life of sweet cherry varieties produced in early region. Ege Üniv Ziraat Fak Derg, 57(3): 359-366.
- Erogul D. 2018. An overview of sweet cherry fruit cultivation in Turkey. Trends in Horticul, 1: 1-4.

Genç S, Soysal Mİ. 2018. Parametric and nonparametric post hoc tests. BSJ Eng Sci, 1(1): 18-27.

- Gezer İ. 2001. Türkiye'de mekanik meyve hasadının durumu. Tarımsal Mekanizasyon 20. Ulusal Kongresi, September 13-15, 2001, Şanlıurfa, Türkey, pp: 251-256.
- Göksel Z, Aksoy U. 2014. Physico-chemical characteristics of some table sweet cherry varieties. Turkish J Agric Natural Sci, Special Issue 2: 1856-1862.
- İkinci A, Bolat İ. 2015. Investigation of the performance of some sweet cherry varieties grown in the GAP region. Harran Tarım ve Gıda Bil Derg, 19(2): 54-65.
- Kocabıyık H, Kavdır İ, Özpınar S. 2009. Technical and economical analysis of some fruits hand harvested in Çanakkale, and determination of some propeties of fruits related with mechanical harvest. J Tekirdag Agri Fac, 6(1): 45-53.
- Krumov S, Christov N. 2018. Mechanical properties of the fruits of some perspective sweet cherry cultivars. Scientific Papers, Series B, Horticul, 62: 21-24.
- Mohsenin NM. 1986. Physical properties of plant and animal materials: Structure, physical characteristics and mechanical properties. Gordon and Breach Science Publishers, Inc., New York, US, pp: 891.
- Moser E. 1989. Bağ bahçe sebze ve endüstri kültürlerinde mekanizasyon uygulamaları (Çeviri: Tuncer İK, Özgüven F). Türkiye Zirai Donatım Kurumu (T.Z.D.K.) Mesleki Yayınları, Yayın No: 52, Ankara, Türkey, pp: 98.
- Özgüven F, Vursavuş K, Özgüven AI. 2001. Determination of some parameters related to mechanical harvesting of sour cherry and similar fruits under the laboratory conditions. Fruit, nut, and vegetable production engineering. Proceeding of the 6th International Symposium, September 11-14, 2001, Posdam, Germany, pp: 111-115.
- Pérez-Sánchez R, Gómez-Sánchez MA, Morales-Corts MR. 2010. Description and quality evaluation of sweet cherries cultured in Spain. J Food Qual, 33(4): 490-506.
- Peterson DL, Wolford SD. 2001. Mechanical harvester for fresh market quality stemless sweet cherries. Transactions of the ASAE 2001, 44(3): 481-485.
- Pırlak L, Güleryüz M. 2000. Meyve türlerinin mekanik yolla hasatı. Tarımsal Mekanizasyon 19. Ulusal Kongresi Bildiri Kitabı, Haziran 1-2, 2000, Erzurum, Türkey, pp: 253-258.
- Polat M, Mertoğlu K, Eskimez İ. 2020. Elmada bazı özelliklerin birlikte ele alınabilme potansiyelleri: Pinova örneği. Ziraat Müh, 370: 115-125.
- Sarısu HC, Demirtaş İ, Aksu M, Altındal M. 2019. Some physical and chemical properties of new sweet cherry davraz. Harran Tarım ve Gıda Bil Derg, 23(4): 391-399.
- Statistica. 1999. Statistica for the windows operating system, Stat Soft, Inc., Tulsa, OK, US.
- Taşova M, Güzel M. 2017. Determination physico-mechanic properties and color values of İstanbul variety cherry (Prunus cerasus L.). Gaziosmanpasa J Sci Res, 6(Special Issue): 73-80.
- Vursavuş K, Kelebek H, Selli S. 2006. A study on some chemical and physico-mechanic properties of three sweet cherry varieties (Prunus avium L.) in Turkey. J Food Eng, 74: 568-575.
- Yılmaz D, Gökduman ME. 2020. Effects of different harvesting times on physico-mechanical properties of sour cherry (Prunus cerasus L.). Erwerbs-Obstbau, 62: 335-340.